

## Personal configuration

---



### Charger4 GT touring

Configuration code:  
**F01003\_04020807**

The image shows the basic configuration and may differ from your configuration.

## Your configuration from Jan. 3, 2023

<b>Model</b>	Charger4 GT touring
<b>Equipment</b>	Bosch Performance Line CX (smart system) Bosch PowerTube 750 Wh Shimano Deore XT, 11-speed derailleur gear

---

<b>Basic price</b>	<b>59 599,00 SEK</b>
Frame size	49 cm
Frame colour	black matt
Battery	750 Wh
Cockpit	Intuvia 100 cockpit
<b>Total price RRP</b>	<b>59 599,00 SEK</b>

---

## Specifications

Frame colour	black matt*; petrol matt*
Suspension fork	SR Suntour Mobie 34, Air, tapered, 100mm; SR Suntour Mobie 34 ABS, Air, tapered, 100mm*
Headset	Acros IntegrationX, block lock
Seatpost	Cane Creek New Thudbuster ST
Seatclamp	Kalloy SC-201, 40,0 mm
Tires	Schwalbe Super Moto-X 62-584 Reflex; Schwalbe Johnny Watts 60-584*
Tubes	Schwalbe AV21
Rims	Rodi Tryp35 27,5"
Front hub	Novatec Disc 32H
Rear hub	Novatec Boost, QR, 36H
Battery	Akku Bosch PowerTube 750 Vertical
Motor	Bosch Performance Line CX (smart system)
Display	Bosch Intuvia 100; Bosch Kiox 300*
Crankset	FSA/Riese & Müller, 170 mm
Chain ring	42T
Chain guard	Chain guard
Chain	KMC X11 ( 125x )
Cassette	Shimano CUES CS-LG700-11,11-50
Saddle	Selle Royal New Lookin Evo R&M; Selle Royal New Lookin Female Evo R&M*
Pedals	VP R&M Custom
Shifting system	Shimano XT 11-S Linkglide
Shifter	Shimano XT 11-S Linkglide
Handlebar	Satori R&M Custom, 25,4mm, Alu; Satori R&M Custom Komfort, 25,4 mm, Alu*
Stem	Satori R&M Custom, cable integration, adjustable angle, Alu
Grips	Ergon ergonomic
Brakes	Magura MT4, disc brake; Magura MT5, disc brake; Magura MT C ABS*
Front light	Supernova mini 2 Pro
Tail light	Busch & Müller Toplight 2C LED; Supernova M99, integrated brake light*
Mudguards	SKS A69R

Luggage rack	Riese & Müller, MIK
Rubber	Bibia
Bell	Billy
Kickstand	Ursus Power 94 Kickstand
Lock	ABUS Shield X+
RX Hardware	RX Chip (für RX Services)*
Frame size [cm]	46 cm*; 49 cm*; 53 cm*; 56 cm*

## Frame geometries

Frame height	49
Top tube length [cm]	62
Reach [cm]	42
Stack [cm]	67
Head tube angle [°]	68
Seat tube angle [°]	74
Trail [mm]	92
Wheelbase [cm]	118,5
Bottom bracket height [cm]	28,5
Stand-over height [cm]	84
Chainstay length [cm]	48
Overall length [cm]	188,5
Wheel size ["]	27,5
Head tube length [mm]	150
Front suspension travel [mm]	100
Rear dropout width [mm]	148
Gear ratios [m]	2,00-8,36
Weight [kg]	29,3
Weight [lbs]	58
Gross vehicle weight rating [kg]	160
Weight rating: Luggage rack [kg]	27,5
Weight rating: Handlebar bag/basket [kg]	5
Childseat compatibility	yes
Trailer compatibility: Single wheel/single attachment point	yes
Trailer compatibility: Two wheel/single attachment point	yes
Compatibility: Tagalong trailer bike	yes